HEALTH MART REGULAR STRENGTH ENTERIC COATED ASPIRIN- aspirin tablet, coated

Strategic Sourcing Services LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each tablet)
Aspirin 325 mg (NSAID)*
*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - toothache
 - colds
 - muscle pain
 - o menstrual pain
 - minor arthritis pain
- or as recommended by a doctor

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- hives
- shock
- facial swelling
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- · have had stomach ulcers or bleeding problems

- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

Do not use

if you are allergic to aspirin or any other pain reliever/fever reducer.

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- you experience any of the following signs of stomach bleeding:
 - feel faint
 - have blood or black stools
 - vomit blood
 - have stomach pain that does not get better
- an allergic reaction occurs. Seek medical help right away.
- new symptoms occur
- ringing in the ears or loss or hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years or age and over: take 1 to 2 tablets every 4 hours, while symptoms persist
- drink a full glass of water with each dose
- do not take more than 12 tablets in 24 hours unless directed by a doctor
- children under 12 years of age: do not use

Other information

• store between 20°-25°C (68°-77°F)

Inactive ingredients

corn starch, croscarmellose sodium, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, methacrylic acid copolymer, microcrystalline cellulose, mineral oil, polysorbate 80, simethicone, sodium hydroxide, sodium lauryl sulfate, talc, titanium dioxide, triethyl citrate

Questions or comments

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

compare to the active ingredient in Ecotrin®†

REGULAR STRENGTH

aspirin 325 mg

pain reliever (NSAID)

Aspirin Regimen ≠ • Safety Coated**

(**Coating helps protect against stomach upset)

Tablets

†This product is not manufactured or distributed by Prestige Brands, Inc., distributor of Ecotrin®

≠Talk to your doctor or other healthcare provider before using this product for your heart. Aspirin is not right for everyone

Another Quality Product Distribution by McKesson

One Post Street, San Francisco, CA 94104

Money Back Guarantee

www.healthmart.com/healthmartbrand

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT

INFORMATION.

Product Labeling

Exp. Date

Lot No.:

PLD-C1350 FC004790

0 ō

Orug Facts (continued

Do not use if you are allergic to aspirin or any

other pain reliever/fever reducer Ask a doctor before use if

- you have a history of stomach problems, such as stomach bleeding warning applies to you
- you have high blood pressure, heart disease, liver heartburn
 - cirrhosis, or kidney disease

Ask a doctor or pharmacist before use if you are taking ■ you are taking a diuretic
■ you have asthma a prescription drug for

arthritis ■ gout ■ diabetes

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right
- stomach bleeding: have bloody or black stools you experience any of the following signs of
 - vomit blood feel faint
- have stomach pain that does not get better pain gets worse or lasts more than 10 days redness or swelling is present
- ringing in the ears or loss of hearing occurs These could be signs of a serious condition new symptoms occur

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The

asthma (wheezing)

shock hives

 facial swelling reaction, which may include

if pregnant or breast-feeding, ask a health professional during the last 3 months of pregnancy unless definitely before use. It is especially important not to use aspirin problems in the unborn child or complications during directed to do so by a doctor because it may cause

nedical help or contact a Poison Control Center right away. Keep out of reach of children. In case of overdose, get

have 3 or more alcoholic drinks every day while using

take more or for a longer time than directed

this product

nonprescription NSAIDs (aspirin, ibuprofen, naproxen

take other drugs containing prescription or

take a blood thinning (anticoagulant) or steroid drug

have had stomach ulcers or bleeding problems

■ are age 60 or older

chance is higher if you

Orug Facts (continued)

Jirections

- adults and children 12 years of age and over: take 1 to 2 tablets every 4 hours, while symptoms persis
 - do not take more than 12 tablets in 24 hours unless drink a full glass of water with each dose
- children under 12 years of age: do not use directed by a doctor

Other information

store between 20-25°C (68-77°F)

aluminum lake, hypromellose, methacrylic acid copolymer simethicone, sodium hydroxide, sodium lauryl sulfate, talc Inactive ingredients com starch, croscarmellose sodium, D&C yellow #10 aluminum lake, FD&C yellow #6 microcrystalline cellulose, mineral oil, polysorbate 80, itanium dioxide, triethyl citrate

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST Questions or comments?

This product is not manufactured or distributed by Prestige Brands, Inc., distributor of Ecotrin®

#Talk to your doctor or other healthcare provider before using this product for your heart. Aspirin is not right for everyone.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY

SEAL UNDER CAP IS BROKEN OR MIS KEEP OUTER CARTON FOR CO

MCKESSON

Another Quality Product
Distributed by McKesson
One Post Street, San Francisco, CA 94104
Money Back Guarantee
healthmart.com

NDC 62011-0040-1 Compare to the active ingredient in Ecotrin®†

REGULAR STRENGTH

Aspirin 325 Pain Reliever (NSAID)

> Aspirin Regimen + Safety Coated ** (**Coating helps protect against stomach upset)

Orug Facts

Active ingredient in each tablet)

Purpose

atory drug roidal anti-inflar spirin 325 mg (NSAII

ain reliever

temporarily relieves minor aches and pains due to:

minor arthritis pain menstrual pain muscle pair headache toothache

 or as recommended by a doctor splos

Reye's syndrome: Children and teenagers who have or early sign of Reye's syndrome, a rare but serious illhess consult a doctor because these symptoms could be an are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, changes in behavior with nausea and vomiting occu Allergy alert: Aspirin may cause a severe allergic

Health Mart,

125 Tablets

HEALTH MART Aspirin Pain Reliever

HEALTH MART REGULAR STRENGTH ENTERIC COATED ASPIRIN

aspirin tablet, coated

Product	Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:62011-0040

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength

ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E) ASPIRIN 325 mg

Inactive Ingredients

ı	Ingredient Name	Strength

STARCH, CORN (UNII: O8232NY3SJ)

CROSCARMELLOSE SODIUM (UNII: M280L1HH48)

D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)

HYPROMELLOSES (UNII: 3NXW29V3WO)

METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)

CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)

MINERAL OIL (UNII: T5L8T28FGP)

POLYSORBATE 80 (UNII: 60ZP39ZG8H)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

SODIUM HYDROXIDE (UNII: 55X04QC32I)

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

TALC (UNII: 7SEV7J4R1U)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

TRIETHYL CITRATE (UNII: 8Z96QXD6UM)

Product Characteristics

Color	orange (ORANGE)	Score	no score
Shape	ROUND (ROUND)	Size	10mm
Flavor		Imprint Code	Т
Contains			

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011- 0040-1	1 in 1 BOX	06/05/2012	02/23/2024
١,		125 in 1 BOTTLE; Type 0: Not a Combination		

* F	Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	06/05/2012	02/23/2024

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 11/2021 Strategic Sourcing Services LLC